

Silicone & Epoxy Technology NY, Inc.

Safety Data Sheet SET-290 Part B

SECTION 1: Identification

Product identifier

Product name	SET-290 Part B (CAT-23)
Product number	SET-290 Part B
Brand	Silicone & Epoxy Technology NY, Inc.
Substance name	Polyamide amine hardener

Supplier's details

Name	Silicone & Epoxy Technology NY, Inc. 48 Otis Street Unit B W.Babylon NY 11704	
Telephone	(631) 920-5079	
Fax	(631) 920-0503	
Emergency phone number	CHEMTREC	1-800-424-9300

SECTION 2: Hazard identification

Classification of the substance or mixture

Acute toxicity Inhalation - Dust and Mist Category 4
Acute toxicity Inhalation - Vapors Category 4
Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Skin sensitization Category 1
Reproductive toxicity Category 2
Specific target organ systemic toxicity (repeated exposure) Category 2 Kidney
Specific target organ systemic toxicity (repeated exposure) Category 1 Blood, Kidney, Liver
Specific target organ systemic toxicity (repeated exposure) Category 1 Central nervous system, Liver
Hazardous to the aquatic environment - acute hazard Category 2
Hazardous to the aquatic environment - chronic hazard Category 2

GHS label elements, including precautionary statements

Pictogram



Signal Word

DANGER

Safety Data Sheet

SET-290 Part B

Hazard Statements

Harmful if inhaled.
Causes severe skin burns and eye damage.
Causes serious eye damage.
May cause an allergic skin reaction.
Suspected of damaging fertility or the unborn child.
May cause damage to organs through prolonged or repeated exposure if inhaled.(Kidney)
May cause damage to organs through prolonged or repeated exposure if swallowed.(Kidney)
Causes damage to organs through prolonged or repeated exposure in contact with skin.(Blood, Kidney, Liver)
Causes damage to organs through prolonged or repeated exposure if swallowed.(Central nervous system, Liver)
Toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

Precautionary Statements

Prevention

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves.
Use personal protective equipment as required.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.

Response

Immediately call a POISON CENTER or doctor/physician.
Specific treatment (see supplemental first aid instructions on this label).
IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Wash contaminated clothing before reuse.
Collect spillage.

Storage

Store locked up.

Disposal:

Dispose of contents/container in accordance with waste/disposal laws and regulations of your country or particular locality.

Other Hazards:

This product contains component(s) which have the following warnings; however based on the GHS classification

criteria of your country or locale, the product mixture may be outside the respective category(s).

Acute: Harmful if absorbed through skin. Symptoms of inhalation exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. May be severely irritating to the nose, throat and respiratory tract. May cause lung damage. Eye contact may cause severe eye damage, including vision disturbances, corneal damage, and blindness. Overexposure to vapor may cause headache, dizziness, unconsciousness and/or breathing difficulty. This product contains an ingredient where aspiration into the lungs may occur during ingestion or vomiting causing tissue damage or lung injury. May cause allergic respiratory reaction. Harmful if swallowed. Ingestion is

Safety Data Sheet

SET-290 Part B

not an expected route of entry in industrial or commercial uses. Overexposure to lead in this product can damage the nervous, urinary, gastrointestinal, blood, blood-forming, and reproductive systems. Chronic: May cause long-term lung damage. Repeated exposure to high concentrations may cause injury to liver, kidney, and respiratory tract. Prolonged or repeated contact may result in dermatitis.

SECTION 3: Composition/information on ingredients

Mixtures

Substance name	Polyamide Amine Complex
CAS no.	Proprietary
Range	100%

Trade secret statement (OSHA 1910.1200(i))

Proprietary Ingredient – may be made available as provided in 29 CFR 1910.1200 (I).

This product contains substances subject to the reporting requirements of SARA Section 313 of Title III of the Superfund Amendments and reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 4: First-aid measures

Description of necessary first-aid measures

FIRST AID - EYE CONTACT:	Flush eyes immediately with large amount of water for at least 15 minutes holding eyelids open while flushing. Get prompt medical attention.
FIRST AID - SKIN CONTACT:	Flush contaminated skin with large amounts of water while removing contaminated clothing. Wash affected skin areas with soap and water. Get medical attention if symptoms occur.
FIRST AID - INHALATION:	Move person to fresh air. Restore and support continued breathing. If breathing is difficult, give oxygen. Get immediate medical attention.
FIRST AID - INGESTION:	If swallowed, do not induce vomiting. Call a physician or poison control center immediately for further instructions. Never give anything by mouth if victim is rapidly losing consciousness, unconscious or convulsing.

SECTION 5: Fire-fighting measures

SUITABLE EXTINGUISHING MEDIA:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

SPECIFIC HAZARDS POSSIBLY ARISING FROM THE CHEMICAL:

Keep containers tightly closed. Closed containers may rupture when exposed to extreme heat. Use water spray to keep fire exposed containers cool. During a fire, irritating and/or toxic gases and particulate may be generated by thermal decomposition or combustion.

SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS:

Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA). If water is used, fog nozzles are preferable.

SECTION 6: Accidental release measures

PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES:

Avoid contact. Avoid breathing vapors. Use appropriate respiratory protection for large spills or spills in confined area.

Safety Data Sheet

SET-290 Part B

ENVIRONMENTAL PRECAUTIONS:

Do not contaminate bodies of water, waterways, or ditches, with chemical or used container.

METHODS AND MATERIALS FOR CONTAINMENT AND CLEANUP:

Keep non-essential personnel a safe distance away from the spill area. Notify appropriate authorities if necessary. Avoid contact. Before attempting cleanup, refer to hazard caution information in other sections of the SDS form.

Scoop spilled material into an appropriate container for proper disposal. (If necessary, use inert absorbent material to aid in containing the spill).

SECTION 7: Handling and storage

HANDLING:

Keep closure tight and container upright to prevent leakage.

Avoid skin and eye contact.

Wash thoroughly after handling.

Avoid breathing of vapor or spray mists.

Do not handle until all safety precautions have been read and understood.

Empty containers should not be re-used.

Avoid breathing sanding dust from this product.

Use with adequate ventilation.

This product contains inorganic lead; potential lead exposure exists when applying or sanding this product. Use of this product should comply with the OSHA Lead Standard (29 CFR 1910.1025) or where applicable the OSHA Construction Standard for lead (29 CFR 1926.62).

STORAGE:

Store only in well-ventilated areas.

Keep container closed when not in use.

INCOMPATIBILITY:

Amines, acids, water, hydroxyl, or active hydrogen compounds.

Strong acids, bases, and strong oxidizers.

SECTION 8: Exposure controls/personal protection

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Splash-proof safety, Chemical Worker and Chemical Splash goggles.

Skin protection

Gloves resistant to chemical penetration.

Body protection

Splash-proof safety, Chemical Worker and Chemical Splash goggles.

Gloves resistant to chemical penetration.

Respiratory protection

NESA/NIOSH approved respirator is highly recommended.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance/form

Liquid, pigmented

Safety Data Sheet

SET-290 Part B

Odor	Slight
Odor threshold	n/a
pH	n/a
Melting point/freezing point	n/a
Initial boiling point and boiling range	n/a
Flash point	>200F
Evaporation rate	Slower (relative to n-butyl acetate)
Flammability (solid, gas)	Combustible Liquid Class III B
Upper/lower flammability limits	n/a
Upper/lower explosive limits	n/a
Vapor pressure	n/a
Vapor density	heavier than air
Relative density	n/a
Solubility(ies)	in H ₂ O, negligible (<0.1%)
Partition coefficient: n-octanol/water	n/a
Auto-ignition temperature	n/a
Decomposition temperature	n/a
Viscosity	n/a
Explosive properties	n/a
Oxidizing properties	n/a

Other safety information

Specific Gravity: 0.96

SECTION 10: Stability and reactivity

Reactivity

Stable under recommended storage conditions.

Chemical stability

Stable.

Possibility of hazardous reactions

Hazardous polymerization will not occur.

Conditions to avoid

None.

Incompatible materials

None.

Hazardous decomposition products

Oxides of carbon and aldehydes.

SECTION 11: Toxicological information

Information on toxicological effects

Skin corrosion/irritation

Wash skin with soap and water or waterless hand cleaners.

Serious eye damage/irritation

Contact irritating to eyes.

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

Safety Data Sheet

SET-290 Part B

Respiratory or skin sensitization

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Summary of evaluation of the CMR properties

---Ingredient---	OSHA	ACGIH	LD50 (mg/kg)	LC50 (ppm)
Material Ingredient	PEL	TLV (twa)	(rat) (rbt)	(rat)
		Mg/m3 ppm	oral dermal	inhal
Amine Hardener	n/a	n/a	>4000 >5000	n/a

Germ cell mutagenicity: No classification proposed

Carcinogenicity: Category 1B - May cause cancer.

Components contributing to classification: Lead tetra oxide. N-Butyl glycidyl ether. Lead.

Reproductive toxicity: Category 1A - May damage fertility or the unborn child. May cause harm to breast-fed children. Components contributing to classification: Lead tetra oxide. N-Butyl glycidyl ether. Lead.

SECTION 12: Ecological information

n/a

SECTION 13: Disposal considerations

Disposal of the product

Dispose of in accordance with local regulations.

Disposal of contaminated packaging

Dispose of in accordance with local regulations.

Sewage disposal

Do NOT flush into sewer.

SECTION 14: Transport information

US DOT Road

DOT Proper Shipping Name: Amines, liquid, corrosive, n.o.s.
DOT Hazard Class: 8
SECONDARY HAZARD: None
DOT UN/NA Number: 2735
Packing Group: III
Emergency Response Guide Number: 153

IATA Cargo

PROPER SHIPPING NAME: Amines, liquid, corrosive, n.o.s.
DOT Hazard Class: 8
HAZARD CLASS: None
UN-NUMBER: 2735
PACKING GROUP: III
EMS: 8L

Safety Data Sheet

SET-290 Part B

IMDG

PROPER SHIPPING NAME: Amines, liquid, corrosive, n.o.s.
DOT Hazard Class: 8
HAZARD CLASS: None
UN-NUMBER: 2735
PACKING GROUP: III
EMS: F-A

The listed transportation classification applies to US DOT Road, IATA Cargo, and IMDG non-bulk shipments. It does not address regulatory variations due to changes in package size, mode of shipment or other regulatory descriptors. For the most accurate shipping information, refer to your transportation/compliance department.

SECTION 15: Regulatory information

U.S. FEDERAL REGULATIONS: AS FOLLOWS: SARA SECTION 313

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR part 372.:

None

TOXIC SUBSTANCES CONTROL ACT:

INVENTORY STATUS

The chemical substances in this product are on the TSCA Section 8 Inventory.

EXPORT NOTIFICATION

This product contains the following chemical substances subject to the reporting requirements of TSCA 12(B) if exported from the United States: None

HMIS Rating

Under HazCom 2012 it is optional to continue using the HMIS rating system. It is important to ensure employees have been trained to recognize the different numeric ratings associated with the HazCom 2012 and HMIS schemes.

Health	2
Flammability	2
Physical hazard	1
Personal protection	H

SECTION 16: Other information